

【研究者一覧】

教授	岩坪 美兼	Iwatsubo Yoshikane	植物細胞分類学・細胞遺伝学
教授	小松 美英子	Komatsu Mieko	動物発生学, 系統分類学
教授	渡邊 信	Watanabe Shin	緑藻の系統分類学
准教授	前川 清人	Maekawa Kiyoto	進化発生学, 昆虫系統学, 分子生態学
准教授	山崎 裕治	Yamazaki Yuji	進化生物学
客員教授	増田 恭次郎	Masuda Kyojiro	植物形態学
退職または転任された教員:			
教授	鈴木 邦雄	Suzuki Kunio	昆虫系統分類学・比較形態学・比較行動学
教授	鳴橋 直弘	Naruhashi Naohiro	植物分類学

【研究業績:論文】

2009

- ・ Toga, K., Hojo, M., Miura, T. and Maekawa, K. Presoldier induction by juvenile hormone analogue in the nasute termite *Nasutitermes takasagoensis* (Isoptera: Termitidae). *Zool. Sci.* 26: 382-388 (2009).
- ・ Ooka, S., Komatsu, M. and Conand, C. Sexual reproduction of the small fissiparous seastar *Aquilonastra* sp. (Asteroidea: Asterinidae) in La Reunion Island. In "Proceedings of the 12th International Echinoderm Conference, Durham New Hampshire, USA, 7-11 August 2006" (ed., Harris, L. G.). A. A. Balkema, Rotterdam: pp. 467-472 (2009).
- ・ Shibata, D., Moriyama, Y., Hirano, Y. and Komatsu, M. Development of the multiarmed sea-star, *Coscinasterias acutispina* (Stimpson). In "Proceedings of the 12th International Echinoderm Conference, Durham New Hampshire, USA, 7-11 August 2006" (ed., Harris, L. G.). A. A. Balkema, Rotterdam: pp. 479-486 (2009).
- ・ Wakabayashi, K., Muro, K., Honda, K., Shibata, H., Takegami, T. and Komatsu, M. Species identification of juvenile starfish found in the stomach of the deep-sea asteroid by comparing skeletal system and nucleotide sequence. *Gulf of Mexico Science An International Journal* Volume XXVI No. 2 December 2008: p.169 (2009).
- ・ Yokoyama, R., Yamano, A., Takeshima, H., Nishida, M., Yamazaki, Y. Disturbance of the indigenous gene pool of the threatened brook lamprey *Lethenteron* sp. S by intraspecific introgression and habitat fragmentation. *Conserv. Gen.* 10: 29-43 (2009).

2008

- Akamine, M., Maekawa, K. and Kon, M. A quantitative spectrophotometric analysis of geographic color variation of *Phelotrupes auratus* (Coleoptera, Geotrupidae) throughout its distribution range. Jap. J. Syst. Entomol. 14: 171-181 (2008).
- Akamine, M., Maekawa, K. and Kon, M. Geographic color variation of *Phelotrupes auratus* (Coleoptera, Geotrupidae) in the Kinki district, Central Japan: a quantitative spectrophotometric analysis. Entomol. Sci. 11: 401-407 (2008).
- Akamine, M., Maekawa, K. and Kon, M. Spectrophotometric analysis of dorsal coloration in *Phelotrupes auratus* (Coleoptera, Geotrupidae): a comparison of beetles collected in 2001 and 2005. Elytra, Tokyo 36: 309-310 (2008).
- Akamine, M., Maekawa, K. and Kon, M. Spectrophotometric analysis of dorsal coloration in *Phelotrupes auratus* (Coleoptera: Geotrupidae): comparisons between populations, sexes and beetles with varying extents of wear. Entomol. Rev. Jap. 63: 129-134 (2008).
- Everaerts, C., Maekawa, K., Farine, J.P., Shimada, K., Luykx, P., Brossut, R. and Nalepa, C.A. The *Cryptocercus punctulatus* species complex (Dictyoptera: Cryptocercidae) in the eastern United States: comparison of cuticular hydrocarbons, chromosome number, and DNA sequences. Mol. Phylogen. Evol. 47: 950-959 (2008).
- Itano, H. and Maekawa, K. Soldier differentiation and larval juvenile hormone sensitivity in an incipient colony of the damp-wood termite *Zootermopsis nevadensis* (Isoptera, Termopsidae). Sociobiology 51: 151-162 (2008).
- Iwatsubo, Y., Sato, K., Miura, N., Ohno, M., Fujino, H., Tatsuo, Y., Sugiyama, R. and Kurosaki, F. Chromosome numbers of the genus *Forsythia* (Oleaceae). J. Phytogeogr. Taxon. 56: 95-98 (2008).
- Maekawa, K., Matsumoto, T. and Nalepa, C.A. Social biology of the wood-feeding cockroach genus *Salganea* (Dictyoptera: Blaberidae: Panesthiinae): did ovoviviparity prevent the evolution of eusociality in the lineage? Insectes Soc. 55: 107-114 (2008).
- Maekawa, K., Mizuno, S., Koshikawa, S. and Miura, T. Compound eye development during caste differentiation in the termite *Reticulitermes speratus* (Isoptera: Rhinotermitidae). Zool. Sci. 25: 699-705 (2008).

- Miura, N. and Iwatsubo, Y. Polyploidy of *Glechoma hederacea* subsp. *grandis* (Labiatae) in Miyagi Prefecture, northeastern Japan. J. Phytogeogr. Taxon. 56: 13-16 (2008).
- Nalepa, C., Maekawa, K., Shimada, K., Saito, Y., Arellano, C. and Matsumoto, T. Altricial development in subsocial wood-feeding cockroaches. Zool. Sci. 25: 1190-1198 (2008).
- Natheweta, P., Yanagi, T., Iwatsubo, Y., Sone, K., Takamura, T., and Okuda, N. Improvement of staining method for observation of mitotic chromosomes in octoploid strawberry plants. Scientia Horticulturae 120: 431-435 (2008).
- Sato K., Iwatsubo Y., Ohta M., Matsuhisa T. and Naruhashi N. Cytogenetic study of Japanese triploid *Taraxacum officinale* (common dandelion; Asteraceae). J. Jpn. Bot. 83: 115-120 (2008).
- Sato, K., Enomoto, R., Kumagai, D., Yamazaki, T. and Iwatsubo, Y. Chromosome numbers of three species of *Oxalis* (Oxalidaceae) in Japan. J. Jpn. Bot. 83: 239-245 (2008).
- Sato, K., Yamazaki, T., Ohno, M., Miura, N. and Iwatsubo Y. Karyotype of *Lysichiton camtschatcense* (Araceae). J. Phytogeogr. Taxon. 56: 21-23 (2008).
- Shimada, K. and Maekawa, K. Correlation between social structure and nymphal wood-digestion ability in the xylophagous cockroaches *Salganea esakii* and *Panesthia angustipennis* (Blaberidae: Panesthiinae). Sociobiology 52: 417-427 (2008).
- Tsuchiya, M., Watanabe, D. and Maekawa, K. Effect on mandibular length of juvenile hormones and regulation of soldier differentiation in the termite *Reticulitermes speratus* (Isoptera: Rhinotermitidae). Appl. Entomol. Zool. 43: 307-314 (2008).
- Watanabe, D. and Maekawa, K. Frontal-pore formation during soldier differentiation induced by juvenile hormone III in the termite *Reticulitermes speratus* (Isoptera: Rhinotermitidae). Sociobiology 52: 437-447 (2008).
- Hirokawa, T., M. Komatsu and Nakajima, Y. Development of the nervous system in the brittle star *Amphipholis kochii*. Dev. Gen. Evol. 218: 15-21 (2008).
- Murabe, N., H. Hatoyama, M. Komatsu, H. Kaneko and Yoko Murabe, N., H. Hatoyama, M. Komatsu, H. Kaneko and Nakajima, Y. Neural architecture of brachiolaria larva in the starfish, *Asterina pectinifera*. J. Comp. Neurol. 209: 271-282 (2008).

- Wakabayashi, K., Komatsu, M., Murakami, M., Hor, I. and Takegami, T. Observations of larval development, and gene analysis, following cross-fertilization of two congeneric sea-star species with different modes of development. *Biological Bulletin* 215: 89-97 (2008).
- 山崎裕治・谷祐介・原本真二. 日本列島沿岸域に生息するニホンクモヒトデの遺伝的集団構造. *日本生物地理学会会報* 63: 189-198(2008).
- Lin, B., Zhang, Z., Wang, Y., Currens, K.P., Spidle, A., Yamazaki, Y., Close D. A. AFLP assessment of genetic diversity of Pacific lamprey. *N. Am. J. Fish. Manag.* 28: 1182-1193 (2008).
- Sakai, H., Iguchi, K., Yamazaki, Y., Sideleva, V.G., Goto, A. Morphological and mtDNA sequence studies on three crucian carps (*Carassius*: Cyprinidae) including a new stock from the Ob River system, Kazakhstan. *J. Fish Biology* 74: 1756-1773 (2009).
- Yamazaki, Y., Kouketsu, S., Fukuda, T., Araki, Y., Nambu, H. Natural hybridization and directional introgression of two species of Japanese toads *Bufo japonicus formosus* and *B. torrenticola* (Anura: Bufonidae) resulting from changes in their spawning habitat. *Journal of Herpetology* 42: 427-436 (2008).

2007

- 1. Watanabe, S. and Nakayama, T. Ultrastructure and phylogenetic relationships of the unicellular green algae *Ignatius tetrasporus* and *Pseudocharacium americanum* (Chlorophyta), *Phycological Research* 55: 1-16 (2007).
- Brandl, R., Hyodo, F., von Korff-Schmising, M., Maekawa, K., Miura, T., Takematsu, Y., Matsumoto, T., Abe, T., Bagine, R. and Kaib, M. Divergence times in the termite genus *Macrotermes* (Isoptera: Termitidae). *Mol. Phylogen. Evol.* 45: 239-250 (2007).
- Lo, N., Engel, M.S., Cameron, S., Nalepa, C.A., Tokuda, G., Grimaldi, D., Kitade, O., Krishna, K., Klass, K.-D., Maekawa, K., Miura, T. and Thompson, G.J. Save Isoptera. A comment on Inward et al. *Biol. Lett.* 3: 562-563 (2007).
- Maekawa, K., Kon, M., Matsumoto, T., Kitade, O., and Araya, K. Phylogeography of the Asian wood-feeding cockroach *Salganea raggei* Roth (Blaberidae: Blattaria) based on the mitochondrial COII gene. *Orient. Insect.* 41: 317-325 (2007).
- Sato, K., Iwatsubo, Y. and Naruhashi, N. Chromosome studies of native lowland diploid *Taraxacum* (Asteraceae) in Japan. *Cytologia* 72: 309-317 (2007).

- Sato, K., Iwatsubo, Y. and Naruhashi, N. Distribution pattern of *Taraxacum officinale* (Asteraceae) polyploid forms on Tanegashima Island, Japan. J. Phytogeogr. Taxon. 55: 91-97 (2007).
- Sato, K., Iwatsubo, Y., Watanabe, M., Serizawa, S. and Naruhashi, N. Chromosome numbers of *Taraxacum officinale* (Asteraceae) in Toyama Prefecture, central Japan. J. Phytogeogr. Taxon. 55: 1-7 (2007).
- Sato, K., Iwatsubo, Y., Watanabe, M., Serizawa, S. and Naruhashi, N. Cytogenetic study of Japanese triploid *Taraxacum officinale* (common dandelion; Asteraceae). Cytologia 72: 457-482(2007).
- Sato, K., Kumagai, D. and Iwatsubo, Y. Chromosome number of *Portulaca oleracea* (Portulacaceae) in Japan. J. Jpn. Bot. 82: 352-355 (2007).
- Sato, K., Yamazaki, T. and Iwatsubo, Y. Karyotype of *Myosoton aquaticum* (Caryophyllaceae). J. Jpn. Bot. 82: 217-221(2007).
- Sato, K., Yamazaki, T. and Iwatsubo, Y. Karyotype of tetraploid *Hieracium alpinum* (Asteraceae). J. Jpn. Bot. 82: 305-309 (2007).
- Sato, K., Yoshida, T., Miura, N. and Iwatsubo, Y. Chromosome numbers of three taxa of *Achyranthes* (Amaranthaceae) in Japan. J. Phytogeogr. Taxon. 55: 33-36 (2007).
- Murabe, N., Hatoyama, H., Komatsu, M., Kaneko, H. and Nakajima, Y. Adhesive papillae on the brachioarms of brachiolaria larvae of two starfishes, *Asterina pectinifera* and *Asterias amurensis*, are sensors for metamorphic inducing factor(s). Develop. Growth Differ. 49: 647-686 (2007).
- Sasaki, T., Muro, K. and Komatsu, M. Anatomy of shell-less endoparasitic gastropod, *Asterophila japonica* Randall and Heath, 1912 (Mollusca: Eulimidae). Zool. Sci. 24: 700-713 (2007).

2006

- Garcia, J., Maekawa, K., Constantino, R., Matsumoto, T., and Miura, T. Analysis of the genetic diversity of *Nasutitermes coxipoensis* (Isoptera: Termitidae) in natural fragments of Brazilian cerrado savanna using AFLP markers. Sociobiology 48, 267-279 (2006).
- Iwatsubo, Y., Matsuda, M., Sasamura, K. and Naruhashi, N. Chromosome numbers of six species of *Hydrocotyle* (Umbelliferae) in Japan. J. Jpn. Bot. 81: 262-267 (2006).

- Watanabe, S., Mitsui, K., Nakayama, T., and Inouye, I. Phylogenetic relationships and taxonomy of sarcinoid green algae: Chlorosarcinopsis, Desmotetra, Sarcinochlamys gen. nov. Neochlorosarcina, and Chlorosphaeropsis (Chlorophyceae, Chlorophyta). J. Phycol. 42: 679-695 (2006).
- Watanabe, S., Tsujimura, S., Misono, T., Nakamura, S., and Inoue, H. Hemiflagellochloris kazakhstanica gen. et sp. nov.: A new coccoid green alga with flagella of considerably unequal lengths from a saline irrigation land in Kazakhstan (Chlorophyceae, Chlorophyta). J. Phycol. 42: 696-706 (2006).
- Haramoto, S., Komatsu, M. and Yamazaki, Y. Population genetic structures of the fissiparous seastar *Coscinasterias acutispina* in the Sea of Japan. Marine Biology 149: 813-820 (2006).
- Komatsu, M., O'Loughlin, M. P., Bruce, B., Yoshizawa, H., Tanaka, K. and Murakami, C. A gastric brooding asteroid, *Smilasterias multipara*. Zool. Sci. 23: 699-705 (2006).
- Yamazaki, Y., Haramoto, S., and Fukasawa, T. Habitat uses of freshwater fishes on the scale of reach system provided in small streams. Environ. Biol. Fish. 75: 335-342 (2006).
- Yamazaki, Y., Microhabitat use by the larvae of two cryptic lamprey species in *Lethenteron reissneri* in a sympatric area. Ichthyological Research 54: 24-31 (2007).
- Yamazaki, Y., Yokoyama, R., Nishida, M., and Goto, A. Taxonomy and molecular phylogeny of *Lethenteron* lampreys in eastern Eurasia. J. Fish Biol. 68(Supplement B): 251-269 (2006).

2005

- Iwatsubo, Y. and Otsuka, K. Chromosome numbers of Japanese *Symplocarpus* (Araceae). J. Phytogeogr. Taxon. 53: 203-205 (2005).
- Koshikawa, S., Cornette, R., Hojo, M., Maekawa, K., Matsumoto, T., and Miura, T. Screening of genes expressed in the developing mandibles during soldier differentiation in the termite *Hodotermopsis sjostedti*. FEBS Lett. 1365-1370 (2005).
- Maekawa, K., Kon, M., and Araya, K. New species of the genus *Salganea* (Blattaria, Blaberidae, Panesthiinae) from Myanmar, with molecular phylogenetic analyses and notes on the social structure. Entomol. Sci. 8: 121-129 (2005).
- Maekawa, K., Kon, M., Matsumoto, T., Araya, K., and Lo, N. Phylogenetic analyses of fat body endosymbionts reveal differences in invasion times of blaberid wood-feeding cockroaches

(Blaberidae: Panesthiinae) into the Japanese archipelago. Zool. Sci. 22: 1061-1067 (2005).

- Maekawa, K., Park, Y.C., and Lo, N. Phylogeny of endosymbiont bacteria harbored by the woodroach *Cryptocercus* spp. (Cryptocercidae: Blattaria): molecular clock evidence for a late Cretaceous - early Tertiary split of Asian and American lineages. Mol. Phylogen. Evol. 36: 728-733 (2005).
- Maekawa, K., Saito, S., and Hojo, M. The effects of social interaction of *Reticulitermes speratus* (Isoptera: Rhinotermitidae) on the conidia-mass elongation of the termite exoparasitic fungi *Termitaria* sp. (Deuteromycetes: Termitariales). Sociobiology 45: 565-571 (2005).
- Miura, N., Iwatsubo, Y. and Naruhashi, N. Chromosome numbers of five species of *Lamium* (Labiatae) in Japan. J. Phytogeogr. Taxon. 53: 197-201 (2005).
- Naruhashi, N., Nishikawa, T. and Iwatsubo, Y. Taxonomic relationship between Japanese *Potentilla anemonefolia* and Himalayan *P. sundaica* (Rosaceae). J. Phytogeogr. Taxon. 53: 1-11 (2005).
- Naruhashi, N., Seki, H., Yakura, Y., Nagata, Y. and Iwatsubo, Y. Cytogeography of *Duchesnea* (Rosaceae) in central Japan. J. Phytogeogr. Taxon. 53: 153-159 (2005).
- Matsubara, M., Komatsu, M., Takeshi, A., Akasaka, S., Yokobori, S., Watanabe, K., and Wada, H., The phylogenetic status of Paxillosoida (Asteroidea) based on complete mitochondrial DNA sequences. Mol. Phylogen. Evol. 36: 598-605 (2005).
- Yamashita, M., Komatsu, M., and Kijima, A. Genetic variability and geographical population structure in coastal starfish *Asterias amurensis* around Japan estimated by isozyme analysis. Fish. Genet. Breed. Sci. 34: 99-109 (2005).
- Yamashita, M., Komatsu, M., and Kijima, A. Low genetic differentiation with high genetic variability observed in common coastal starfish *Asterina pectinifera* around Japan inferred from isozyme analysis. JIFS 2: 113-121(2005).
- Takeshima, H., Yokoyama, R., Nishida, M., Yamazaki, Y. Isolation and characterization of microsatellite loci in the threatened brook lamprey *Lethenteron* sp. N, Mol. Ecol. Notes 5: 812-814 (2005).
- Ueno, Y., Oba, H., Yamazaki, Y., Tokunaga, F., Narita, K., and Hariyama, T. Seasonal variation of chromophore composition in the eye of the Japanese dace, *Tribolodon hakonensis*. J. Comp. Phys. A 191: 1137-1142 (2005).

- Yamazaki, Y., Fukutomi, N., Oda, N., Shibukawa, K., Niimura, Y., and Iwata, A. Occurrence of larval Pacific lamprey *Entosphenus tridentatus* from Japan, detected by random amplified polymorphic DNA (RAPD) analysis. Ichthyol. Res. 52: 297-301 (2005).
- Yamazaki, Y., Shimada, N., and Tago, Y. Detection of hybrids between masu salmon (*Oncorhynchus masou masou*) and amago salmon (*O. m. ishikawae*) occurred in the Jinzu River using a random amplified polymorphic DNA (RAPD) technique. Fish. Sci. 71: 320-326 (2005).

2004

- Garcia, J., Maekawa, K., Miura, T., and Matsumoto, T. Genetic distance of *Nasutitermes takasagoensis* (Isoptera: Termitidae) between populations in Taiwan and the Yaeyama islands, analyzed by AFLP markers. Entomol. Sci. 7: 245-249 (2004).
- Iwatsubo, Y. and Naruhashi, N. Karyotypes of tetraploid *Rubus parvifolius* and octoploid *R. rugosus* (Rosaceae), J. Phytogeogr. Taxon. 52: 185-190 (2004).
- Iwatsubo, Y., Kodate, G. and Naruhashi, N. Polyploidy of *Reynoutria japonica* var. *japonica* (Polygonaceae) in Japan, J. Phytogeogr. Taxon. 52: 137-142 (2004).
- Iwatsubo, Y., Sengi, Y. and Naruhashi, N. Chromosome numbers of 36 cultivated taxa of *Prunus subg. Cerasus* in Japan, J. Phytogeogr. Taxon. 52: 73-76 (2004).
- Iwatsubo, Y., Souma, Y., Miura, N. and Naruhashi, N. Polyploidy of *Glechoma hederacea* subsp. *grandis* (Labiatae), J. Phytogeogr. Taxon. 52: 67-71 (2004).
- Kon, M., Maekawa, K., Sakai, K., Kusakabe, Y. and Araya, K. The cetonine beetles, *Coilodera penicillata* and *C. miksici* (Coleoptera, Scarabaeidae, Cetoninae), collected from the galleries of wood-feeding cockroaches (Blattaria, Blaberidae, Panesthiinae, *Salganea*) in Myanmar. Kogane 5: 16-19 (2004).
- Nakahara, M., Handa, S., Watanabe, S., and Deguchi, H. Chlricystis minor as a new symbiont of simultaneous two-species association with *Paramecium bursaria* and implications for its phylogeny. Symbiosis 36: 127-151 (2004).
- Nakahara, M., Tsubota, H., Handa, S., Watanabe, S., and Deguchi, H. Molecular phylogeny of Chlorella-like symbiotic algae in *Paramecium bursaria* based on 18S rRNA gene sequences. Hikobia

14: 129-141 (2004).

- Naruhashi, N., Sawanomukai, T., Wakasugi, T. and Iwatsubo, Y. A new variety of *Scutellaria* (Lamiaceae) from Japan. *J. Phytogeogr. Taxon.* 52: 127-135 (2004).
- Park, Y. C., Maekawa, K., Matsumoto, T., Santoni, R., and Choe, J. C. Molecular phylogeny and biogeography of the Korean woodroaches *Cryptocercus* spp. *Mol. Phylogen. Evol.* 30: 450-464 (2004).
- Matsubara, M., Komatsu, M., and Wada, H., Close relationship between Asterina and Solasteridae (Asterozoa) supported by both nuclear and mitochondrial gene molecular phylogenies. *Zool. Sci.* 21: 785-793 (2004).
- Matsubara, M., Wada, H., and Komatsu, M. Phylogenetic affinity between Asterinidae and Solasteridae. In "Echinoderms: Munchen" (eds., T. Heinzeller and J.H. Nebelsick) A. A. Balkema, Roerden: pp.531-536 (2004).
- Tominaga, H., Nakamura, S., and Komatsu, M., Reproduction and development of the conspicuously dimorphic brittle star, *Ophiodaphne formata* (Koehler, 1905). *Biol. Bull.* 206: 25-34 (2004).

2003

- García, J., Maekawa, K., Miura, T., Constantino, R. and Matsumoto, T. Genetic distance between nests and population genetic diversity of *Nasutitermes nigriceps* and *Nasutitermes corniger* (Isoptera: Termitidae) in Guatemala using AFLP markers. *Sociobiology* 41: 663-671 (2003).
- Kon, M., Maekawa, K., Sakai, K. and Araya, K. The cetoniine beetle, *Coilodera penicillata* (Coleoptera, Scarabaeidae, Cetoniinae), collected from a gallery of the wood-feeding subsocial cockroach, *Salganea raggei* (Blattaria, Blaberidae, Panesthiinae). *Kogane* 4: 41-44 (2003).
- Maekawa, K. and Matsumoto, T. Biogeography of Japanese wood-feeding cockroaches genus *Salganea* and *Panesthia* (Blaberidae: Panesthiinae). *Mol. Phylogen. Evol.* 27: 156-159 (2003).
- Maekawa, K., Lo, N., Rose, H. and Matsumoto, T. The evolution of soil-burrowing cockroaches from wood-burrowing ancestors following an invasion of the latter from Asia into Australia. *Proc. R. Soc. Lond. B* 270: 1301-1307 (2003).
- Yamazaki, Y., Fukutomi, N., Takeda, K., and Iwata, A. Embryonic development of the Pacific lamprey, *Entosphenus tridentatus*. *Zool. Sci.* 20: 1095-1098 (2003).

- ・ Yamazaki, Y., Goto, A., and Nishida, M. Mitochondrial DNA sequence divergence between two cryptic species of *Lethenteron*, with reference to an improved identification technique. *J. Fish. Biol.* 62: 591-609 (2003).

【研究者一覧】

教授	内山 実	Uchiyama Minoru	比較内分泌学,動物生理学
教授	松田 恒平	Matsuda Kouhei	比較神経内分泌学
教授	山田 恭司	Yamada Kyoji	植物分子生物学
教授	若杉 達也	Wakasugi Tatsuya	植物分子生物学
准教授	池田 真行	Ikeda Masayuki	時間生物学、睡眠学、神経科学
准教授	唐原 一郎	Karahara Ichirou	植物生理学、植物形態学、細胞生物学
准教授	菊川 茂	Kikukawa Shigeru	昆虫生理学
講師	山本 将之	Yamamoto Masayuki	植物分子遺伝学、作物育種学
助教	今野 紀文	Konno Norifumi	比較内分泌学、発生生物学
客員教授	神阪 盛一郎	Kamisaka Seiichiro	植物生理学、宇宙生物学

【研究業績:論文】

2009

- Azuma, M., Tanaka, M., Nejigaki, Y., Uchiyama, M., Takahashi, A., Shioda, S., and Matsuda, K. Pituitary adenylate cyclase-activating polypeptide induces somatolactin release from cultured goldfish pituitary cells. *Peptides* 30: 1260-1266 (2009).
- Kaiya, H., Kodama, S., Ishiguro, K., Matsuda, K., Uchiyama, M., Miyazato, M., and Kangawa, K. Ghrelin-like peptide with fatty acid modification and O-glycosylation in the red stingray, *Dasyatis akajei*. *BMC Biochem.* 10: 30, doi:10.1186/1471-2091-10-30 (2009).
- Karahara I. Crisis and opportunity, *Plant Root* 3: 1-2 (2009).
- Karahara, I., Suda, J., Tahara, H., Yokota, E., Shimmen, T., Misaki, K., Yonemura, S., Staehelin, A., Mineyuki, Y., The preprophase band is a localized center of clathrin-mediated endocytosis in late prophase cells of the onion cotyledon epidermis. *Plant J.* 57: 819-831 (2009).
- Kojima, K., Kamijo, M., Kageyama, H., Uchiyama, M., Shioda, S., and Matsuda, K. Neuronal relationship between orexin-A- and neuropeptide Y-induced orexigenic actions in goldfish. *Neuropeptides* 43: 63-71 (2009).
- Konno, N., Hyodo, S., Yamaguchi, Y., Kaiya, H., Miyazato, M., Matsuda, K., Uchiyama, M. African lungfish, *Protopterus annectens*, possess an arginine vasotocin receptor homologous to the tetrapod V2-type receptor. *J. Exp. Biol.* 212: 2183-2193 (2009).

- Matsuda, K. Recent advances in the regulation of feeding behavior by neuropeptides in fish. *Ann. N. Y. Acad. Sci.* 1163: 243-252 (2009).
- Matsuda, K., Kojima, K., Shimakura, S. I., and Takahashi, A. Regulation of food intake by melanin-concentrating hormone in fish. *Peptides* 30: 2060-2065 (2009).
- Matsuda, K., Kojima, K., Shimakura, S. I., Miura, T., Uchiyama, M., Shioda, S., Ando, H., and Takahashi, A. Relationship between melanin-concentrating hormone- and neuropeptide Y-containing neurons in the goldfish hypothalamus. *Comp. Biochem. Physiol. Mol. Integr. Physiol. Part A* 153: 3-7 (2009).
- Miura, T., Maruyama, K., Kaiya, H., Miyazaki, M., Kangawa, K., Uchiyama, M., Shioda, S., Matsuda, K. Purification and properties of ghrelin from the intestine of goldfish, *Carassius auratus*. *Peptides* 30: 758-765 (2009).
- Mizusawa, K., Saito, Y., Wang, Z., Kobayashi, Y., Matsuda, K., and Takahashi, A. Molecular cloning and expression of the two melanin-concentrating hormone receptors in goldfish. *Peptides* 30: 1190-1196 (2009).
- Tamaoki, D., Karahara, I., Nishiuchi, T., Oliveira, S. D., Schreiber, L., Wakasugi, T., Yamada, K., Yamaguchi, K. and Kamisaka, S. Gravity-enhanced expression of lignification-related genes in *Arabidopsis* inflorescences stems and their transcriptional phenotype revealed by whole-transcriptome profiling. *Adv. Space Res.* 44: 245-253 (2009).
- Tanaka, M., Azuma, M., Nejigaki, Y., Saito, Y., Mizusawa, K., Uchiyama, M., Takahashi, A., Shioda, S., and Matsuda, K. Melanin-concentrating hormone reduces somatolactin release from cultured goldfish pituitary cells. *J. Endocrinol.* 203: 389-398 (2009).
- Uchiyama, M., Kikuchi, R., Konno, N., Wakasugi, T., Matsuda, K. Localization and regulation of a facilitative urea transporter in the kidney of the red-eared slider turtle (*Trachemys scripta elegans*). *J. Exp. Biol.* 212: 249-256 (2009).

2008

- Karahara I., Our first year. *Plant Root* 2: 1-2. (2008).
- Karahara, I., Matsuda, K., Honma, Y. Effects of ethylene on the production, elongation, and differentiation of endodermal cells in maize primary root - An integrative analysis of the developmental process of a particular cell type -. *Plant Root* 2: 29-37 (2008).

- Kawakatsu T, Yamamoto M.P., Hirose S, Yano M, Takaiwa F. Characterization of a new rice glutelin gene GluD-1 expressed in the starchy endosperm. *J. Exp. Bot.* 59: 4233-4245 (2008).
- Kikukawa, S., Minamizuka, T. and Matoba, W. Responses to stepwise photoperiodic changes for the larval diapause of the Indian meal moth, *Plodia interpunctella*. *Physiol. Entomol.* 33: 360-364 (2008).
- Kobayashi, Y., Matsuo, M., Sakamoto, K., Wakasugi, T., Yamada, K. and Obokata, J. Two RNA editing sites with cis-acting elements of moderate sequence identity are recognized by an identical site-recognition protein in tobacco chloroplast. *Nucl. Acids Res.* 36: 311-318 (2008).
- Kumano, T., Konno, N., Wakasugi, T., Matsuda, K., Yoshizawa, H. and Uchiyama, M. Cellular localization of the Na⁺/H⁺ exchanger 3 (NHE3) during ontogeny in the pronephros and mesonephros of the Japanese black salamander, *Hynobius nigrescens* Stejneger. *Cell. Tissue. Res.* 331: 675-685 (2008). DOI 10.1007/s00441-007-0544-x
- Maejima, S., Yamada, T., Hamada, T., Matsuda, K., and Uchiyama, M. Effects of hypertonic stimuli and arginine vasotocin (AVT) on water absorption response in Japanese treefrog, *Hyla japonica*. *Gen. Comp. Endocrinol.* 157: 196-202 (2008).
- Maruyama, K., Konno, N., Ishiguro, K., Wakasugi, T., Uchiyama, M., Shioda, S., and Matsuda, K. Isolation and characterization of four cDNAs encoding neuromedin U (NMU) from the brain and intestine of goldfish, and inhibitory effect of a deduced NMU on food intake and locomotor activity, *J. Neuroendocrinol.* 20: 71-78 (2008).
- Matsuda, K., Kojima, K., Shimakura, S. I., Wada, K., Maruyama, K., Uchiyama, M., Kikuyama, S., and Shioda, S. Corticotropin-releasing hormone mediates a-melanocyte-stimulating hormone-induced anorexigenic action in goldfish. *Peptides* 29: 1930-1936 (2008).
- Matsuda, K., Nakamura, K., Shimakura, S. I., Miura, T., Kageyama, H., Uchiyama, M., Shioda, S. and Ando, H. Inhibitory effect of chicken gonadotropin-releasing hormone II on food intake in the goldfish, *Carassius auratus*. *Hormones and Behavior* 54: 83-89 (2008).
- Shimakura, S. I., Kojima, K., Nakamachi, T., Kageyama, H., Uchiyama, M., Shioda, S., Takahashi, A., and Matsuda, K. Neuronal interaction between melanin-concentrating hormone- and a-melanocyte-stimulating hormone-containing neurons in the goldfish hypothalamus. *Peptides* 29: 1432-1440 (2008).

- Shimakura, S. I., Miura, T., Maruyama, K., Uchiyama, M., Shioda, S., Takahashi, A., and Matsuda, K. Alpha-Melanocyte-stimulating hormone (α-MSH) mediates melanin-concentrating hormone (MCH)-induced anorexigenic action in goldfish. *Hormones and Behavior* 53: 323-328 (2008).
- Shimazoe, T., Morita, M., Ogiwara, S., Kojiya, T., Goto, J., Kamakura, M., Moriya, T., Shinohara, K., Takiguchi, S., Kono, A., Miyasaka, K., Funakoshi, A. and Ikeda, M. Cholecystokinin-A receptors regulate photic input pathways to the circadian clock. *The FASEB Journal* 22: 1479-1490 (2008).
- Suzuki, N., Omori, K., Ijiri, K., Kitamura, K., Shimizu, N., Tabata, M. J., Ikegame, M., Nakamura, M., Kondo, T., Matsuda, K., Ando, H., Kasahara, H., Nagase, M., Kubota, K., Nara, M., Hattori, A. Regulation of Bone Metabolism under Simulated Micro-Gravity and Hyper-Gravity Loading: Analysis by the Cultured Scales of Goldfish. *Space Utilization Res.* 24: 230-233 (2008).
- Suzuki, N., Omori, K., Nakamura, M., Tabata, M. J., Ikegami, M., Ijiri, K., Kitamura, K.I., Shimizu N., Kondo, T., Matsuda, K., Ando, H., Kasahara, H., Nagase, M., Nara, M., and Hattori, A. Scale osteoblasts and osteoclasts sensitively respond to low-gravity loading by centrifuge. *Biol. Sci. Space*: 22, 3-7 (2008).
- Yamada, T., Nishio, T., Sano, Y., Kawago, K., Matsuda, K., Uchiyama, M. Effect of arginine vasotocin and vasopressin receptor antagonists on Na⁺ and Cl⁻ transport in the isolated skin of two frog species, *Hyla japonica* and *Rana nigroaculata*. *Gen. Comp. Endocrinol.* 157: 63-69 (2008).
- Yamamoto, M.P., Shinada, H., Onodera, Y., Komaki, C., Mikami, T., and Kubo, T., A male sterility-associated mitochondrial protein in wild beets causes pollen disruption in transgenic plants. *Plant J.* 54: 1027-1036 (2008).

2007

- Karahara I., The "Plant Root" has been launched. *Plant Root* 1: 1-2. (2007).
- Kikukawa, S. and Ohde, K. The role of the main photophase on dark-time measurement used for diapause determination in the Indian meal moth, *Plodia interpunctella*. *Physiol. Entomol.* 32: 351-356 (2007).
- Konno, N., S. Hyodo, K. Matsuda and M. Uchiyama Arginine vasotocin promotes urea permeability through urea transporter expressed in the toad urinary bladder cells. *Gen. comp. endocrinol.* 152: 281-285 (2007).
- Konno, N., S. Hyodo, T. Yamada, K. Matsuda and M. Uchiyama Immunolocalization and mRNA

- expression of the epithelial Na⁺ channel α -subunit in the kidney and urinary bladder of the marine toad, *Bufo marinus*, under hyperosmotic conditions. *Cell. Tissue. Res.* 328: 583-594 (2007).
- Maruyama, K., Konno, N., Ishiguro, K., Wakasugi, T., Uchiyama, M., Shioda, S. and Matsuda, K. Isolation and characterisation of four cDNAs encoding neuromedin U (NMU) from the brain and gut of goldfish, and the inhibitory effect of a deduced NMU on food intake and locomotor activity. *J. Neuroendocrinol.* 20: 71-78 (2007).
 - Matsuda, K. and Maruyama, K. Regulation of feeding behavior by pituitary adenylate cyclase-activating polypeptide (PACAP) and vasoactive intestinal polypeptide (VIP) in vertebrates. *Peptides* 28: 1611-1617 (2007).
 - Matsuda, K., Nejigaki, Y., Satoh, M., Shimaura, C., Tanaka, M., Kawamoto, K., Uchiyama, M., Kawauchi, H., Shioda, S., and Takahashi, A. Effect of pituitary adenylate cyclase-activating polypeptide (PACAP) on prolactin and somatolactin release from the goldfish pituitary in vitro. *Regul. Pept.* 145: 72-79 (2007).
 - Matsuda, K., Shimakura, S. I., Miura, T., Maruyama, K., Uchiyama, M., Kawauchi, H., Shioda, S., and Takahashi, A. Feeding-induced changes of melanin-concentrating hormone (MCH)-like immunoreactivity in the goldfish brain. *Cell. Tissue. Res.* 328: 375-382 (2007).
 - Matsuda, K., Wada, K., Miura, T., Maruyama, K., Shimakura, S. I., Uchiyama, M., Leprince, J., Tonon, M. C., Vaudry, H. Effect of the diazepam-binding inhibitor-derived peptide, octadecaneuropeptide, on food intake in goldfish. *Neuroscience* 150: 425-432 (2007).
 - Miura, T., Maruyama, K., Shimakura, S. I., Kaiya, H., Uchiyama, M., Kangawa, K., Shioda, S., and Matsuda, K. Regulation of food intake in the goldfish by interaction between ghrelin and orexin. *Peptides* 28: 1207-1213 (2007).
 - Suzuki, N., Omori, K., Ijiri, K., Kitamura, K.I., Shimizu N., Tabata, M.J., Ikegame, M., Nakamura, M., Kondo, T., Matsuda, K., Ando, H., Kasahara, H., Nagase, M., Hattori, A. Space biology utilizing fish scale. *Space Utilization Res.* 23: 318-321 (2007).
 - Yamada, T., Konno, N., Matsuda, K., Uchiyama, M., Frog ANP increases the amiloride-sensitive Na⁽⁺⁾ channel activity in urinary bladder cells of Japanese tree frog. *Hyla japonica*. *Gen. Comp. Endocrinol.* 152: 286-288 (2007).
 - Yamada, T., Konno, N., Matsuda, K., Uchiyama, M., Frog atrial natriuretic peptide and cGMP activate

amiloride-sensitive Na(+) channels in urinary bladder cells of Japanese tree frog, *Hyla japonica*. J. Comp. Physiol. B, 177: 503-508 (2007).

2006

- Konno, N., Hyodo, S., Matsuda, K., Uchiyama, M. Effect of osmotic stress on expression of a putative facilitative urea transporter in the kidney and urinary bladder of the marine toad, *Bufo marinus*. J. Exp. Biol. 209: 1207-1216 (2006).
- Maruyama, K., Miura, T., Uchiyama, M., Shioda, S., and Matsuda, K. Relationship between anorexigenic action of pituitary adenylate cyclase-activating polypeptide (PACAP) and that of corticotropin-releasing hormone (CRH) in the goldfish, *Carassius auratus*. Peptides 27: 1820-1826 (2006).
- Matsuda K., Miura, T., Kaiya, H., Maruyama, K., Shimakura, S. I., Uchiyama, M., Kangawa, K., and Shioda, S. Regulation of food intake by acyl and des-acyl ghrelin in the goldfish. Peptides 27: 2321-2325 (2006).
- Matsuda, K., Maruyama, K., Nakamachi, T., Miura, T., Uchiyama, M., and Shioda, S. Inhibitory effects of pituitary adenylate cyclase-activating polypeptide (PACAP) and vasoactive intestinal peptide (VIP) on food intake in the goldfish, *Carassius auratus*. Peptides 26: 1611-1616 (2006).
- Matsuda K., Miura, T., Kaiya, H., Maruyama, K., Uchiyama, M., Kangawa, K., and Shioda, S. Stimulatory effect of n-octanoylated ghrelin on locomotor activity in the goldfish, *Carassius auratus*. Peptides 27: 1335-1340 (2006).
- Matsuda, K., Maruyama, K., Nakamachi T., Miura, T., and Shioda, S. Effects of pituitary adenylate cyclase-activating polypeptide (PACAP) and vasoactive intestinal peptide (VIP) on food intake and locomotor activity in the goldfish, *Carassius auratus*. Ann. N. Y. Acad. Sci. 1070: 417-421 (2006).
- Matsuda, K., Miura, T., Kaiya, H., Maruyama, K., Shimakura, S. I., Uchiyama, M., Kangawa, K., and Shioda, S. Regulation of food intake by acyl and des-acyl ghrelin in the goldfish. Peptides 27: 2321-2325 (2006).
- Matsuda, K., Shimakura, S. I., Maruyama, K., Miura, T., Uchiyama, M., Kawachi, H., Shioda, S., and Takahashi, A. Central administration of melanin-concentrating hormone (MCH) suppresses food intake, but not locomotor activity, in the goldfish, *Carassius auratus*. Neurosci. Lett. 399: 259-263 (2006).

- Miura, T., Maruyama, K., Shimakura, S. I., Kaiya, H., Uchiyama, M., Kangawa, K., Shioda, S., and Matsuda, K. Neuropeptide Y mediates ghrelin-induced feeding in the goldfish, *Carassius auratus*. *Neurosci. Lett.* 407: 279-283 (2006).
- Nakabayashi, I., Karahara, I., Tamaoki, D., Masuda, K., Wakasugi, T., Yamada, K., Soga, K., Hoson, T., Kamisaka, S. Effects of hypergravity stimulus on primary xylem development and mechanical properties of secondary cell walls in inflorescence stems of *Arabidopsis thaliana* L. *Ann. Bot.* 97: 1083-1090 (2006).
- Nakamachi T., Matsuda K., Maruyama K., Miura T., Uchiyama M., Funahashi H., Sakurai T., and Shioda S. Regulation by orexin of feeding behaviour and locomotor activity in the goldfish. *J. Neuroendocrinol.* 18: 290-297 (2006).
- Ohtaki, H., Nakamachi, T., Dohi, K., Aizawa, Y., Takaki, A., Hodoyama, K., Yofu, S., hashimoto, H., Shintani, N., Baba, A., Kopf, M., Iwakura, Y., Matsuda, K., Arimura, A., and Shioda, S. Pituitary adenylate cyclase-activating polypeptide (PACAP) decreases neuronal cell death after focal ischemia associated with interleukin-6 (IL-6) signaling. *Proc. Natl. Acad. Sci. USA* 103: 7488-7493 (2006).
- Sasaki, T., Yukawa, Y., Wakasugi, T., Yamada, K. and Sugiura, M. A simple in vitro RNA editing assay for chloroplast transcripts using fluorescent dideoxynucleotides: distinct types of sequence elements required for editing of *ndh* transcripts. *Plant. J.* 47: 802-810 (2006).
- Sugino, T, Shimazoe, T., Kanemoto, Y., Ikeda, M. and Watanabe, S. Role of nociceptin and opioid receptor like 1 (ORL1) on entrainment function in the rat suprachiasmatic nucleus. *Neuroscience* 137: 537-544 (2006).
- Tamaoki, D., Karahara, I., Nishiuchi, T., Wakasugi, T., Yamada, K., Yamaguchi, K., Kamisaka, S. Effect of hypergravity on expression levels of lignin biosynthesis-related genes in *Arabidopsis thaliana*. *J. Gravit. Physiol.* 13: 101-102 (2006).
- Tamaoki, D., Karahara, I., Schreiber, L., Wakasugi, T., Yamada, K. and Kamisaka, S. Effects of hypergravity conditions on elongation growth and lignin formation in the inflorescence stem of *Arabidopsis thaliana* L. *J. Plant Res.* 119: 79-344 (2006).
- Yamada, T., Matsuda, K. and Uchiyama, M. Atrial natriuretic peptide and cGMP activate sodium transport through PKA-dependent pathway in the urinary bladder of the Japanese tree frog. *J. Comp. Physiol.* B176: 203-212 (2006).

2005

- Ikeda, M., Sagara, M., Okada, T., Clement, P., Urade, Y., Nagai, T., Sugiyama, T., Yoshioka, T., Honda, K., and Inoué, S. Brain oxidation is an initial process in sleep induction. *Neuroscience* 130: 1029-1040 (2005).
- Kikukawa, S., Rou, R-R. and Sugimoto, M. Effect of Light Pulses in Early Scotophase on Resetting of the Night-Measuring Diapause Clock of the Indian Meal Moth, *Plodia interpunctella*. *Physiol. Entomol.* 30: 256-261 (2005).
- Konno, N., Hyodo, S., Takei, Y., Matsuda, K., Uchiyama, M. Plasma aldosterone, angiotensin II, and arginine vasotocin concentrations in the toad, *Bufo marinus*, following osmotic treatments, *Gen. Comp. Endocrinol.* 140: 86-93 (2005).
- Ma, Y-X., Matsuda, K. and Uchiyama, M. Serum variations in plasma concentration of sex steroid hormones and vitellogenin in wild male Japanese dace (*Tribolodon hakonensis*) collected from different sites of the Jinzu river. *Zool. Sci.* 22: 861-868 (2005).
- Matsuda, K., Maruyama, K., Miura, T., Uchiyama, M., and Shioda, S. Anorexigenic action of pituitary adenylate cyclase-activating polypeptide (PACAP) in the goldfish: feeding-induced changes in the expression of mRNAs for PACAP and its receptors in the brain, and locomotor response to central injection. *Neurosci. Lett.* 386: 9-13 (2005).
- Matsuda, K., Maruyama, K., Nakamachi, T., Miura, T., Uchiyama, M., and Shioda, S. Inhibitory effects of pituitary adenylate cyclase-activating polypeptide (PACAP) and vasoactive intestinal peptide (VIP) on food intake in the goldfish, *Carassius auratus*. *Peptides* 26: 1611-1616 (2005).
- Matsuda, K., Nagano, Y., Uchiyama, M., Onoue, S., Takahashi, A., Kawauchi, H., Shioda, S. Pituitary adenylate cyclase-activating polypeptide (PACAP)-like immunoreactivity in the brain of a teleost, *Uranoscopus japonicus*: immunohistochemical relationship between PACAP and adenohipophysial hormones. *Regul. Pept.* 126: 129-136 (2005).
- Matsuda, K., Nagano, Y., Uchiyama, M., Takahashi, A., Kawauchi, H. Immunohistochemical observation of pituitary adenylate cyclase-activating polypeptide (PACAP) and adenohipophysial hormones in the pituitary of a teleost, *Uranoscopus japonicus*. *Zool. Sci.* 22: 71-76 (2005).
- Nakamachi, T., Ohtaki, H., Yin, L., Dohi, K., Endo, S., Kudo, Y., Funahashi, H., Matsuda, K., and Shioda, S. Orexin-1 receptor expression after global ischemia in mice. *Regul. Pept.* 126: 49-54 (2005).

2004

- Karahara, I., Ikeda, A., Kondo, T. and Uetake, Y. Development of the Casparian strip in primary roots of maize under salt stress. *Planta* 219: 41-47 (2004).
- Mitsuya, S., Ishigaki, E., Sugiyama, R., Asamizu, T., Yamada, K., Kurosaki, F. Activation of phenylpropanoid metabolism in Sesame by over-expression of carrot calmodulin gene. *Biol. Pharm. Bull.* 27: 1621-1625 (2004).
- Nishiyama, T., Wolf, P.G., Kugita, M., Sinclair, R. B., Sugita, M., Sugiura, C., Wakasugi, T., Yamada, K., Yoshinaga, K., Yamaguchi, K., Ueda, K. and Hasebe, M. Chloroplast phylogeny indicates that bryophytes are monophyletic. *Mol. Biol. Evol.* 21: 1813-1819 (2004).
- Shimura, R., Ma, Y. X., Ijiri, K., Nagaoka, S., Uchiyama, M. Nitrate toxicity on visceral organs of medaka fish, *Oryzias latipes*. Aiming to raise fish from egg to egg in space. *Biol. Sci. Space.* 18: 7-12 (2004).
- Sugiyama, T., Yoshioka, T., and Ikeda, M. mPer2 antisense oligonucleotides inhibit mPER2 expression but not circadian rhythms of physiological activity in cultured suprachiasmatic nucleus neurons. *Biochem. Biophys. Res. Commun.* 323: 479-483 (2004).
- Tsudzuki, J., Tsudzuki, T., Wakasugi, T., Kinoshita, K., Kondo, T. and Sugiura, M. Comparative analysis of the whole chloroplast genomes from rice, maize and wheat. *Endocytobiosis Cell Res.* 15: 339-344 (2004).

2003

- Ikeda, M., and Allen, C. N. Developmental changes in calbindin-D28k and calretinin immunoreactive neurons in the suprachiasmatic nucleus. *Eur. J. Neurosci.* 17: 1111-1118 (2003).
- Ikeda, M., Sugiyama, T., Wallace, C. S., Gompf, H. S., Yoshioka, T., Miyawaki, A., and Allen, C. N. Circadian dynamics of cytosolic and nuclear Ca²⁺ in single suprachiasmatic nucleus neurons. *Neuron* 38: 253-263 (2003). (第1回日本時間生物学会学術奨励賞受賞論文)
- Ikeda, M., Yoshioka, T., and Allen, C. N. Developmental and circadian changes in Ca²⁺ mobilization mediated by GABAA and NMDA receptors in the suprachiasmatic nucleus. *Eur. J. Neurosci.* 17: 58-70 (2003). (第9回日本睡眠学会学術奨励賞受賞論文)
- Kameyama, M., Yamaguchi, I., Ichikawa, K., Sugiyama, T., Hori, H., Ikeda, M., Kuwahata, Y., Eguchi, N., Urade, Y., and Yoshioka, T. Effect of phospholipase Cbeta4 lacking in thalamic neurons on

electroencephalogram. *Biochem. Biophys. Res. Commun.* 304: 153-159 (2003).

- Moriya, T., Ikeda, M., Teshima, K., Hara, R., Yoshioka, T., Allen, C. N., and Shibata, S. Facilitation of -amino-3-hydroxy-5-methylisoxazole-4propionate receptor transmission in the suprachiasmatic nucleus by aniracetam enhances photic entrainment of the biological clock in rodents. *J. Neurochem.* 85: 978-987 (2003).